



## Office of the Monroe County Surveyor

Trohn Enright-Randolph

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor

T6N

R2E



**Township N.<sup>o</sup>. VI North of the Base Line, Range N.<sup>o</sup>. II East of the 2<sup>nd</sup> Meridian - Surveyed by Arthur Henrie. 1854.**

## Description of the Soil on the interior Sectional lines.

# Township N. 6 North, Range N. 2 East 2<sup>nd</sup> Mer.

## Range line - Var. 7° 00' E.

North Between Range 2 & 3 Township 6 East  
On the East Side of Sec. 36

7.20 A. Brook 20 in. down

16.70 A. Brook 10ths West

40.00 gr. sec. corner Sugar 12 S 61 W 22  
Firwood 6 S 71 E 21

49.30 A. Sugar 20 in. down

56.00 A. Brook 8ths West

80.00 Set post corner of Sec. 25 836

Beech 15 S 11 W 32  
do 15 N 24 W 12

Sand Rolling. Beech. Sugar & Poplar

North On the East Side of Sec. 25

34.50 A. Brook 12 ths West

40.00 gr. sec. corner Beech 6 10 S 58 E 13

Dogwood 5 S 6 W 20  
do 15 S 70 W 12

80.00 Set post corner to Sec. 24 825

Beech 15 S 7 W 20  
do 15 S 70 W 12

Good farming land. timber same

North On the East Side of Sec. 24

40.00 gr. sec. corner Beech 12 S 1 E 41  
Dogwood 6 S 58 W 13

80.00 Set post corner to Sec. 12 824

W. Ash 6 S 11 W 22  
Dogwood 6 S 78 E 2

Sand Rolling. Oak & Hickory

North on the East Side of Sec. 13

39.00 A. Brook 10ths S E

40.00 gr. sec. corner Sugar 10 S 25 W 48  
do 6 S 63 E 32

80.00 Set post corner to Sec. 12 813

Gum 12 S 9 E 32  
B. Oak 8 S 79 W 54

Very high hills. Soil thin. Oak & Hickory

North On the East Side of Sec. 12

40.00 gr. sec. corner B. Oak 6 S 41 E 21  
do 8 S 23 E 10

80.00 Set post corner to Sec. 10 812

Sugar 12 S 4 W 30

Beech 10 S 16 E 11

Land the same

North On the East Side of Sec. 1

16.60 A. Brook 18 ths S E

40.00 gr. sec. corner Hickory 10 S 1 E 39

80.00 Set temporary post at the exact distance  
of 6 Mile from the South Boundary

86.00 Intersected by 8 W line and set post  
corner of Towns 6 & 7 N Range  
2 & 3 E. - Beech 16 S 13 W 26

W. Oak 16 S 53 W 51

Very hilly & brushy land, thin soil

Arthur Morris D.S.

## Township line - Var. 6° 20'

### Random -

West Between Towns 5 & 6 Range 2 East

40.00 Temporary gr. sec. post

80.00 Set temporary mile post

Sand Rolling. Timber, Beech. Poplar &

West Random line continued

40.00 Temporary gr. sec. post

65.00 A. Brook 20 ths S. W.

80.00 Set temporary mile post

Sand Hilly & Brushy. timber same

West Random line continued

12.00 A. Brook 25 ths S. W.

37.50 Same S. W.

40.00 Temporary gr. sec. post

66.30 A. Brook 12 ths at the bottom which is Limestone

80.00 Temporary mile post

Land the same

West Random line continued

80.00 Temporary gr. sec. post

80.00 Temporary mile post

Sand good for farming. Beech. Sugar. Oak & C.

West Random line continued

40.00 Temporary gr. sec. post

80.00 Temporary mile post

Land the same

West Random line continued

26.00 A. Brook 12 ths South

40.00 Temporary gr. sec. post

63.57 Fall South of Town corner

Sand Rich. timber Sugar. Beech & C.

True line var. 6.20

East Between Towns 5 & 6 Range 2 East on true line

63.57 gr. sec. corner Beech 8 S 39 W 6

10. S 69 W 36

63.57 Set post corner to Sec. 31 832

Sandwood 6 S 58 E 13

Dogwood 8 S 44 W 5

East True line continued

40.00 gr. sec. corner Sassafras 8 S 80 E 24

Beech 12 S 49 W 8

80.00 Set post corner to Sec. 32 833

Beech 12 S 41 E 29

do 12 S 11 E 4

East True line continued

40.00 gr. sec. corner W. Walnut 10 S 2 E 9

Sugar 10 S 59 E 19

80.00 Set post corner of Sec. 34 835

Beech 10 S 59 E 14

do 10 S 18 W 29

East True line continued

40.00 gr. sec. corner Beech 12 S 28 W 12

do 8 S 44 W 34

Land the same

East Between Sec <sup>d</sup> 24 & 25 On Random	West	Corrected Between Sec <sup>d</sup> 12 & 13 on true line
40.00 Temporary gr. sec. post	39.99	gr. sec. corner Maple 12 West 50° No other tree
80.04 Intersected N & S line 12ths N. of corner Sand Rolling Sugar Beech Ash	79.98	Section corner
West Corrected	North	Between Sec <sup>d</sup> 11 & 12
40.02 gr. sec. corner Sugar 12 S 20 E 5° Beech 10 N 20 W 40	40.00	gr. sec. corner B. Oak 10 S 39 W 20 Hickory 8 S 55 E 5°
80.04 Section corner	80.00	Set post corner to Sec <sup>d</sup> 1. 2. 11. 12 B. Oak 12 S 36 E 15° do 6 N 36 W 12
North Between Sec <sup>d</sup> 23 & 24		Sand very hilly timber same under growth & hilly
34.38 W. Oak 20 inv. claim!		March 21 <sup>st</sup> 1814
40.00 gr. sec. corner Beech 20 N 65 W 12 Dogwood 6 N 50 E 12	North	Between Sec <sup>d</sup> 34 & 35
80.05 Set post corner to Sec <sup>d</sup> 14. 15. 23. 24 Beech 10 S 6 E 33 do 6 N 24 W 70	40.00	gr. sec. corner Sassafras 10 S 36 W 5° do 10 N 75 E 12
Sand level Timber the same	45.00	A. Brook 8 ths S. W.
East Between Sec <sup>d</sup> 13 & 24 On Random	80.00	Set post corner to Sec <sup>d</sup> 26. 27. 34. 35 Beech 12 S 30 W 17 do 12 S 28 E 20
40.00 Temporary gr. sec. post		Sand Rolling Beech. Poplar &c
79.88 Intersected N & S line 14ths N. of corner Sand the same	Cast	Between Sec <sup>d</sup> 14 & 23 On Random
West Corrected	40.00	Temporary gr. sec. post
39.94 gr. sec. corner Maple 10 S 18 W 6 Beech 8 N 23 W 5°	80.00	Intersected N & S line 8 ths S. of corner Sand the same
79.88 Section corner	West	Corrected
North Between Sec <sup>d</sup> 13 & 14	40.06	gr. sec. corner Beech 8 West 1 No other tree
40.00 gr. sec. corner Maple 10 S 18 W 6 Beech 10 N 36 W 30	80.12	Section corner
56.02 A. Brook 5 ths N. E	North	Between Sec <sup>d</sup> 26 & 27
80.00 Set post corner to Sec <sup>d</sup> 11. 12. 13. 14 B. Oak 10 S 9 W 30 Hickory 6 S 14 E 52	40.00	gr. sec. corner Beech 10 N 28 W 14 do 20 N 30 E 25
Sand very hilly thin soil	80.00	Set post corner to Sec <sup>d</sup> 22. 23. 26. 27 Maple 10 S 18 W 14 Poplar 40 S 45 E 25
East Between Sec <sup>d</sup> 12 & 13 On Random		Sand the same
40.00 Temporary gr. sec. post		
79.98 Intersected N & S line 10 ths S. of corner Sand the same		

East Between Sec <sup>d</sup> 23 & 26 On Random	West	Between Sec <sup>d</sup> 11 & 14 On Random
40.00 A. Brook 12 ths S. W.	40.00	Temporary gr. sec. post
40.00 Temporary gr. sec. post	79.92	Intersected N & S line 18 ths S. of corner Sand the same
79.92 Section corner	West	Corrected
39.96 gr. sec. corner Beech 20 East 10 No other tree	40.04	gr. sec. corner W. Oak 18 S 84 E 28 Beech 12 S 61 W 25
80.08 Section corner	80.08	Section corner
North Between Sec <sup>d</sup> 10 & 11	North	Between Sec <sup>d</sup> 10 & 11
40.00 gr. sec. corner Dogwood 6 N 50 W 12 Ironwood 6 N 87 E 20	40.00	gr. sec. corner Beech 6 S 20 W 30 do 10 N 42 E 28
80.00 Set post corner to Sec <sup>d</sup> 2. 3. 11. 11 Beech 8 S 14 W 18 do 8 S 50 W 10	80.00	Sand very hilly thin soil
East Between Sec <sup>d</sup> 20 & 21 On Random	North	East Between Sec <sup>d</sup> 20 & 21 On Random
40.00 Temporary gr. sec. post	40.00	Temporary gr. sec. post
80.06 Intersected N & S line 14 ths N. of corner Sand the same	80.06	Section corner
West Corrected	80.03	gr. sec. corner Beech 10 S 3 W 24 W. Oak 20 N 63 E 95
40.03 gr. sec. corner Beech 10 S 3 W 24 W. Oak 20 N 63 E 95	80.06	Section corner
North Between Sec <sup>d</sup> 21 & 23	North	Between Sec <sup>d</sup> 21 & 23
31.10 A. Brook 10 ths N. E	31.10	A. Brook 10 ths N. E
40.05 gr. sec. corner Beech 10 N 28 W 16 W. Oak 12 S 3 E 56	40.05	gr. sec. corner Beech 10 N 28 W 16 W. Oak 12 S 3 E 56
62.50 A. Brook 12 ths N. E	62.50	A. Brook 12 ths N. E
87.50 Set post cor. to Sec <sup>d</sup> 21 & 23 on North Boundary 2.25 ths East of Sec. corner	87.50	Set post cor. to Sec <sup>d</sup> 21 & 23 on North Boundary Beech 20 S 54 E 12 do 20 N 28 E 15
Sand hilly thin soil		
March 22 <sup>nd</sup> 1814		

North Between Sec<sup>4</sup> 33 & 34  
14.00 H. Brook 10 lths S. E  
40.00 gr. sec. corner Beech 10 S 34 W 24  
do 10 N 68 E 31  
80.00 Set post corner of Sec<sup>4</sup> 24, 28, 33, 34  
Beech 20 S 15 E 45  
do 10 N 1 W 28  
Sand Rolling, Oak, Beech, Poplar, Hickory  
East Between Sec<sup>4</sup> 27 & 34 On Random  
40.00 Temporary gr. sec. post  
52.50 H. Brook 10 lths S. W  
80.08 Intersected St. & Line 12 lths S. of corner  
Sand the same  
West Corrected  
39.97 gr. sec. corner B. Oak 20 S 6 E 16  
do 12 S 56 E 20  
80.08 Section corner  
North Between Sec<sup>4</sup> 27 & 28  
12.00 H. Beech 20 in. diam.  
40.00 gr. sec. corner Beech 10 S 45 W 11  
do 10 N 69 E 16  
80.00 Set post corner to Sec<sup>4</sup> 21, 22, 26, 28  
Sugar 8 S 4 W 17  
Beech 12 S 43 W 25  
Sand the same  
East Between Sec<sup>4</sup> 22 & 27 On Random  
40.00 Temporary gr. sec. corner  
55.00 H. Brook 12 lths S. W  
80.10 Intersected St. & Line 10 lths S. of corner  
Sand the same  
West Corrected  
40.05 gr. sec. corner Beech 6 S 39 E 4  
do 6 N 49 W 9  
80.10 Section corner

North Between Sec<sup>4</sup> 21 & 22  
5.00 H. Brook 12 lths S. E at three forks  
40.00 gr. sec. corner B. Oak 20 S 10 E 38  
Dogwood 6 S 45 E 10  
80.00 Set post corner to Sec<sup>4</sup> 15, 16, 21, 22  
Dogwood 6 S 4 E 2  
Beech 20 S 15 E 34  
Sand the same  
East Between Sec<sup>4</sup> 15 & 22 On Random  
40.00 Temporary gr. sec. post  
79.94 Intersected St. & Line 12 lths S. of corner  
Sand the same  
West Corrected  
39.97 gr. sec. corner B. Oak 20 S 6 E 16  
Beech 6 S 15 E 7  
79.94 Section corner  
North Between Sec<sup>4</sup> 15 & 16  
3.20 H. W. Oak 20 in. diam.  
5.00 H. Brook 10 lths N. W  
12.00 H. Brook 12 lths S. W  
40.00 gr. sec. corner W. H. Oak 6 S 29 W 6  
Sassafras 6 S 62 E 9  
53.60 H. W. Oak 20 in. diam.  
80.00 Set post corner to Sec<sup>4</sup> 9, 11, 15, 16  
W. Oak 12 S 20 W 34  
Gum 10 N 12 E 25  
Sand very hilly thin soil  
East Between Sec<sup>4</sup> 10 & 15 On Random  
40.00 Temporary gr. sec. post  
80.06 Intersected St. & Line 12 lths S. of corner  
Sand the same thin soil Oak & Hickory  
West Corrected  
40.03 gr. sec. corner B. Oak 6 West 6  
Beech 5 N 5 W 4  
80.06 Section corner

North Between Sec<sup>4</sup> 9 & 10  
10.00 gr. sec. corner B. Oak 20 S 3 W 24  
W. Oak 12 S 42 E 22  
52.00 H. Brook 10 lths S. W  
80.00 Set post corner to Sec<sup>4</sup> 3, 4, 9, 10  
B. Oak 10 S 35 W 16  
Gum 12 S 62 E 21  
Sand the same  
East Between Sec<sup>4</sup> 3 & 10 On Random  
40.00 Temporary gr. sec. post  
79.96 Intersected St. & Line 12 lths N. of corner  
Sand the same  
West Corrected  
39.98 gr. sec. corner W. Oak 20 S 82 E 26  
do 20 S 85 W 17  
79.96 Section corner  
North Between Sec<sup>4</sup> 3 & 4  
40.00 gr. sec. corner B. Oak 12 S 30 E 15  
do 10 N 65 W 9  
88.50 Set post on N. Boundary 3.25 lths E. of corner  
W. Oak 20 S 30 E 20  
B. Oak 6 S 88 W 32  
Sand the same March 25, 1814  
North Between Sec<sup>4</sup> 32 & 33  
40.00 Set gr. sec. corner Hickory 10 S 56 W 11  
Sugar 6 N 5 W 5  
80.00 Set post corner to Sec<sup>4</sup> 28, 29, 32, 33  
Beech 2 S 87 W 25  
do 6 S 85 E 14  
Sand Rich, Timber Beech P.  
East Between Sec<sup>4</sup> 28 & 33 On Random  
40.00 Temporary gr. sec. post  
79.89 Intersected St. & Line 14 lths S. of sec. corner  
Sand Rich, Oak, Beech, Poplar P.  
West Corrected  
40.02 gr. sec. corner W. Oak 20 N 47 W 10  
Beech 8 S 60 E 5  
80.00 Section corner

North Between Sec<sup>d</sup> 16 & 17  
39.00 H. Brook 10 1/2 lbs S.W.  
40.00 gr. Sec. corner Beech 18 1/2 lbs N.W.  
clo 12 1/2 lbs N.W.  
43.00 H. Brook 12 1/2 lbs S.W.  
80.00 Set post corner to Sec<sup>d</sup> 8, 9, 16, 17  
Beech 6 1/2 lbs N.W.  
Hickory 12 1/2 lbs E.N.  
Sand very hilly thin soil. Oak & Hickory  
East Between Sec<sup>d</sup> 9 & 16 On Random  
40.00 Temporary gr. Sec. post  
80.00 Intersected N.W. line 12 1/2 lbs S. of corner  
Sand the same  
West Corrected  
40.00 gr. Sec. corner W. Oak 6 1/2 lbs N.W.  
clo 6 1/2 lbs E.N.  
80.00 Section corner  
North Between Sec<sup>d</sup> 8 & 9  
15.00 H. Brook 12 1/2 lbs West  
40.00 gr. Sec. corner W. Oak 20 1/2 lbs N.W.  
Hickory 6 1/2 lbs E.N.  
80.00 Set post corner of Sec<sup>d</sup> 4, 5, 8, 9  
B. Oak 10 1/2 lbs E.N.  
W. Walnut 6 1/2 lbs N.W.  
Sand the same  
East Between Sec<sup>d</sup> 4 & 9 On Random  
27.00 H. Brook 12 1/2 lbs S.W.  
40.00 Temporary gr. Sec. post  
48.50 Intersected N.E. line at Section corner  
Sand the same  
West Corrected  
39.74 gr. Sec. corner Sugar 10 West 24  
Beech 6 1/2 lbs N.W.  
79.88 Section corner  
North Between Sec<sup>d</sup> 29 & 30  
40.00 gr. Sec. corner Maple 12 1/2 lbs E.N.  
Beech 10 1/2 lbs E.N.  
48.50 H. Brook 18 1/2 lbs S.W.  
80.00 Set post corner to Sec<sup>d</sup> 19, 20, 29, 30  
Beech 20 1/2 lbs N.W.  
clo 12 1/2 lbs N.W.  
Sand the same  
West Corrected  
40.25 gr. Sec. corner W. Oak 20 1/2 lbs N.W.  
Gum 12 1/2 lbs E.N.  
80.50 Section corner

North Between Sec<sup>d</sup> 4 & 5  
40.00 gr. Sec. corner Beech 10 1/2 lbs N.W.  
W. Oak 8 1/2 lbs E.N.  
85.60 Set post corner of Sec<sup>d</sup> 4 & 5 on the North  
Boundary 4 1/2 lbs East of corner  
W. Oak 12 1/2 lbs E.N.  
clo 20 1/2 lbs E.N.  
Sand the same - March 24<sup>th</sup> 1814  
North Between Sec<sup>d</sup> 31 & 32  
13.50 H. Brook 8 1/2 lbs S.W.  
22.20 H. Brook 20 lbs diam.  
40.00 gr. Sec. corner Sugar 5 East 23  
clo 20 1/2 lbs N.W.  
80.00 Set post corner of Sec<sup>d</sup> 29, 30, 31, 32  
Poplar 40 1/2 lbs E.N.  
W. Oak 30 1/2 lbs N.W.  
Sand Rolling. Beech, Poplar, Sugar 5  
East Between Sec<sup>d</sup> 29 & 32 On Random  
40.00 Temporary gr. Sec. post  
50.00 H. Brook 12 1/2 lbs North  
77.58 Intersected N.E. line at Section corner  
Sand the same  
West Corrected  
39.74 gr. Sec. corner Sugar 10 West 24  
Beech 6 1/2 lbs N.W.  
79.88 Section corner  
North Between Sec<sup>d</sup> 29 & 30  
40.00 gr. Sec. corner Maple 12 1/2 lbs E.N.  
Beech 10 1/2 lbs E.N.  
48.50 H. Brook 18 1/2 lbs S.W.  
80.00 Set post corner to Sec<sup>d</sup> 19, 20, 29, 30  
Beech 20 1/2 lbs N.W.  
clo 12 1/2 lbs N.W.  
Sand the same  
West Corrected  
39.74 gr. Sec. corner Beech 10 1/2 lbs S.W.  
Beech 6 1/2 lbs N.W.  
79.88 Section corner  
North Between Sec<sup>d</sup> 17 & 18  
17.75 H. Brook 40 lbs West  
40.00 gr. Sec. corner Beech 10 1/2 lbs E.N.  
clo 18 1/2 lbs E.N.  
80.00 Set post corner of Sec<sup>d</sup> 17, 18  
Hickory 7 South 7  
W. Oak 6 1/2 lbs N.W.  
Sand the same

East Between Sec<sup>d</sup> 20 & 29 On Random  
20.00 H. Brook 10 1/2 lbs S.W.  
40.00 Temporary gr. Sec. post  
67.00 Intersected N.W. line 12 1/2 lbs S. of corner  
Sand the same  
West Corrected  
40.00 gr. Sec. corner Beech 6 1/2 lbs N.W.  
No other tree  
80.00 Section corner  
North Between Sec<sup>d</sup> 19 & 20  
40.00 gr. Sec. corner W. Oak 10 1/2 lbs E.N.  
Dogwood 6 1/2 lbs E.N.  
80.00 Set post corner to Sec<sup>d</sup> 17, 18, 19, 20  
Sugar 12 1/2 lbs N.W.  
W. Walnut 8 1/2 lbs N.W.  
Sand very hilly & hirskey, Oak & Hickory  
East Between Sec<sup>d</sup> 17 & 20 On Random  
40.00 Temporary gr. Sec. post  
50.00 H. Brook 12 1/2 lbs North  
80.00 Intersected N.E. line 15 1/2 lbs S. of post  
Sand the same  
West Corrected  
40.00 gr. Sec. corner Red Oak 8 1/2 lbs N.W.  
W. Walnut 8 1/2 lbs N.W.  
80.00 Section corner  
East Between Sec<sup>d</sup> 5 & 8 On Random  
36.00 H. Brook 8 1/2 lbs S.W.  
40.00 Temporary gr. Sec. post  
78.98 Intersected N.E. line 30 lbs S. of corner  
Sand the same. covered with green bushes  
West Corrected  
39.99 gr. Sec. corner Beech 12 East 100  
clo 8 1/2 lbs E.N.  
78.98 Section corner  
North Between Sec<sup>d</sup> 5 & 6  
12.00 H. Brook 12 1/2 lbs S.W.  
40.00 gr. Sec. corner W. Oak 18 1/2 lbs E.N.  
clo 20 1/2 lbs E.N.  
83.00 Set post on the N. Boundary 7 1/2 lbs  
East of Sec. corner  
W. Oak 12 1/2 lbs E.N.  
B. Oak 10 1/2 lbs N.W.  
Sand very hilly covered with green bushes  
March 25<sup>th</sup> 1814

West	Between Sec's 6 & 7 A. Brook 12 lds S.W.	64.85 Set post on N. Boundary 25 lds S. of corner Beech 20 S 734 E 16 do 10 S 57 W 16 Sand Rolling. Oak. Beech. Sugar T. March 26. 1814
10.00	pt. Sec. corner Hickory 6 S 38 E 13 W. Oak 18 S 462 W 34	
68.50	A. Brook 10 lds S. W.	
70.50	Set post on the West Boundary 158 lds North of corner W. Oak 10 S 55 E 12 B. Oak 10 S 6 W 16 Land hilly, very brushy covered with Barrens	East Between Sec's 1 & 2 on Runion 40.00 Temporary pt. Sec. post 77.84 Intersected N. H. line 20 lds N. of corner Land the same very hilly
West	Between Sec's 7 & 8 A. Brook 10 lds South	West Corrected
15.00		39.92 pt. Sec. corner B. Oak 6 West 22 do 20 S 83 E 26
40.00	pt. Sec. corner Hickory 12 S 81 E 25 W. Oak 12 S 61 W 24	77.84 Section corner
68.90	Set post on the West Boundary 62 lds North of sec. corner W. Oak 20 S 91 E 32 do 20 S 49 W 25 Land the same	North Between Sec's 1 & 2 7.00 A. Brook 10 lds. N. E 32.50 B. W. Oak 20 in. diam. 40.00 pt. Sec. corner Gum 10 S 463 W 13 Hickory 6 S 28 E 9
40.00	pt. Sec. corner Elm 10 S 81 W 29 W. Ash 20 S 18 E 27	87.30 Set post on N. Boundary 125 lds E. of corner Gum 10 S 41 E 27 W. Oak 8 S 41 W 25 Land the same
67.56	set post on the N. boundary 41 lds N. of corner W. Oak 20 West 1 Beech 10 S 10 E 17 Land the same	Surveyed by Arthur Henrie D. L.
West	Between Sec's 19 & 30	
23.00	A. W. Oak 20 in. diam.	
40.00	pt. Sec. corner Beech 18 S 43 E 38 Ironwood 6 S 14 W 14	
42.00	A. Brook 10 lds S. W.	
65.71	Set post on N. Boundary 30 lds S. of corner W. Oak 12 S 72 E 12 Beech 18 S 20 W 4 Land the same	
West	Between Sec's. 30 & 31	
40.00	pt. Sec. corner Sugar 10 S 58 E 15 do 20 N 51 E 23	